AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (amended). A vaccine composition comprising an immunogenic amount of a first an immunoglobulin molecule sufficient to induce an anti-idiotype response, said first immunoglobulin molecule comprising a variable region and being identical, except for one or more amino acid substitutions in said variable region, to a second immunoglobulin molecule, said-second immunoglobulin molecule having (a) at least one complementarity determining region (CDR) that has a comprising an antigenic portion of an antigen of a cell-or protein involved in reproductive function, and (b) at least one said one or more amino acid substitutions being the substitution of with one or more an amino acid residues residue that do does not have a sulfhydryl group at one or more positions a position corresponding to one or more a cysteine residues residue that form forms a disulfide bond in said second immunoglobulin molecule; and a pharmaceutically acceptable carrier.
 - 2-3. (withdrawn).
- 4. (amended). The vaccine composition according to claim 1, wherein said antigen protein is selected from the group consisting of gonadotropin-releasing hormone, a gonadotropin, prostaglandin F2 alpha, oxytocin, gonadotropin receptors, SP-17, PH-20, FA-1, FA-2, PH-30, RSA, HAS-63, ZP1, ZP2, and ZP3.
- 5. (amended). The vaccine composition according to claim 1, wherein at least two CDRs contain an antigenic a first CDR contains a portion of an antigen of a cell or protein associated with reproductive function and a second CDR contains a portion of an antigen of a cell or protein associated with reproductive function.
 - 6. (withdrawn).
- 7. (amended). The vaccine composition according to claim 1, wherein said variable region is a light chain variable region and said amino acid residue that does not have sulfhydryl group substitution is at a position corresponding to position 23 or 88 in said a human light chain variable region of said second immunoglobulin molecule.
- 8. (amended). The vaccine composition according to claim 1, wherein said variable region is a heavy chain variable region and said amino acid residue that does not have a sulfhydryl group substitution is at a position corresponding to position 22 or 92 in said a human heavy chain variable region of said second immunoglobulin molecule.

- 9. (amended). The vaccine composition according to claim 1, 7 or 8, wherein said amino acid residue is alanine.
- 10. (amended). The vaccine composition according to claim 1, in which said first immunoglobulin molecule is of a type selected from the group consisting of IgG, IgE, IgM, IgD and IgA.
- 11. (amended). A vaccine composition comprising an <u>immunogenic</u> amount of a fragment of a first <u>an</u> immunoglobulin molecule <u>sufficient to induce an anti-idiotype</u> response, said <u>first immunoglobulin molecule fragment</u> comprising a variable region and being identical, except for one or more amino acid substitutions in said variable region, to a second immunoglobulin molecule, said second immunoglobulin molecule having (a) at least one complementarity determining region (CDR) that has a comprising an antigenic portion of an antigen of a cell or protein involved in reproductive function, and (b) at least one said one or more amino acid substitutions being the substitution of <u>with one or more an</u> amino acid residues residue that do does not have a sulfhydryl group at one or more positions a position corresponding to one or more a cysteine residues residue that form forms a disulfide bond in said second immunoglobulin molecule</u>; and a pharmaceutically acceptable carrier.
 - 12-13. (withdrawn).
- 14. (amended). The vaccine composition according to claim 11, wherein said antigen protein is selected from the group consisting of gonadotropin-releasing hormone, a gonadotropin, prostaglandin F2 alpha, oxytocin, gonadotropin receptors, SP-17, PH-20, FA-1, FA-2, PH-30, RSA, HAS-63, ZP1, ZP2, and ZP3.
- 15. (amended). The vaccine composition according to claim 11, wherein at least two CDRs contain an antigenic a first CDR contains a portion of an antigen of a cell or protein associated with reproductive function and a second CDR contains a portion of an antigen of a cell or protein associated with reproductive function.
 - 16. (withdrawn).
- 17. (amended). The vaccine composition according to claim 11, wherein said variable region is a light chain variable region and said amino acid residue that does not have sulfhydryl group substitution is at a position corresponding to position 23 or 88 in said a human light chain variable region of said second immunoglobulin molecule.
- 18. (amended). The vaccine composition according to claim 11, wherein said variable region is a heavy chain variable region and said amino acid residue that does not

have a sulfhydryl group substitution is at a position corresponding to position 22 or 92 in said a human heavy chain variable region of said second immunoglobulin molecule.

- 19. (amended). The vaccine composition according to claim 11, 17 or 18, wherein said amino acid residue is alanine.
- 20. (amended). The vaccine composition according to claim 11, in which said first immunoglobulin molecule is of a type selected from the group consisting of IgG, IgE, IgM, IgD and IgA.
- 21. (amended). A method of contraception in a subject, said method comprising administering to said subject an <u>immunogenic</u> amount of <u>a first an</u> immunoglobulin molecule sufficient to induce an anti-idiotype response, said first immunoglobulin molecule comprising a variable region and being identical, except for one or more amino acid substitutions in said variable region, to a second immunoglobulin molecule, said second immunoglobulin molecule having (<u>a</u>) at least one complementarity determining region (CDR) that has a comprising an antigenic portion of an antigen of a cell or protein involved in reproductive function, and (<u>b</u>) at least one said one or more amino acid substitutions being the substitution of <u>with one or more an</u> amino acid residues residue that do does not have a sulfhydryl group at one or more positions a position corresponding to one or more <u>a</u> cysteine residues residue that form forms a disulfide bond in said second immunoglobulin molecule.
- 22. (amended). The method according to claim 21 which further comprises isolating an antibody from said subject, said antibody recognizing the idiotype of said second immunoglobulin molecule and administering said antibody to a second subject.
 - 23-24. (withdrawn).
- 25. (amended). The method according to claim 21, wherein said antigen protein is selected from the group consisting of gonadotropin-releasing hormone, a gonadotropin, prostaglandin F2 alpha, oxytocin, gonadotropin receptors, SP-17, PH-20, FA-1, FA-2, PH-30, RSA, HAS-63, ZP1, ZP2, and ZP3.
- 26. (amended). The method according to claim 21, wherein at least two CDRs contain an antigenic a first CDR contains a portion of an antigen of a cell or protein associated with reproductive function and a second CDR contains a portion of an antigen of a cell or protein associated with reproductive function.
 - 27. (withdrawn).

- 28. (amended). The method according to claim 21, wherein said variable region is a light chain variable region and said amino acid residue that does not have sulfhydryl group substitution is at a position corresponding to position 23 or 88 in said a human light chain variable region of said second immunoglobulin molecule.
- 29. (amended). The method according to claim 21, wherein said variable region is a heavy chain variable region and said amino acid residue that does not have a sulfhydryl group substitution is at a position corresponding to position 22 or 92 in said a human heavy chain variable region of said second immunoglobulin molecule.
- 30. (original). The method according to claim 21, 28 or 29, wherein said amino acid residue is alanine.
- 31. (original). The method according to claim 21, in which said first immunoglobulin molecule is of a type selected from the group consisting of IgG, IgE, IgM, IgD and IgA.